

OVERVIEW



1. Cable lock slot	3. 1x USB-C 3.1 Gen 1
2. 1x USB-C 3.1 Gen 1	

PERFORMANCE

Panel

Panel

In-Plane Switching (IPS)

Display Size

14 inches

Max View Area

WxH: 301.5 x 188.5 mm

Resolution

2240 x 1400

Aspect Ratio

16:10

Pixel Pitch

0.135 x 0.135 mm

Dot / Pixel Per Inch

189 dpi

Brightness

- Peak: 375 nits
- Typical: 300 nits

Contrast Ratio

- Contrast Ratio: 1500:1
- Dynamic Contrast Ratio: 3M:1

View Angle (H / V)

Horizontal: 178°, Vertical: 178°

Response Time

- Extreme Mode: 6 ms
- Normal Mode: 8 ms

Refresh Rate

60 Hz

Color Gamut

- Coverage Ratio: 100% sRGB
- Color Area Ratio: 105% sRGB

Color Support

16.7 Million

Color Depth

8-bit

Anti-glare

Support

Operating System

Operating System

- Windows® 10 Support
- Windows 11 Support

Power Supply

Power Consumption

- Typical / Max: 6W / 7.5W (Without USB-C® output)
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 6.85W
- Energy Star TEC: 22.71kWh
- External Power Supply (no adapter bundle)

Voltage Required
5V / 9V / 15V DC 3A or 20V DC 5A Max

Special Features

- Special Features**
- Natural Low Blue Light
 - Lenovo® Artery (Lenovo Display Control Center) Support
Lenovo Artery can only be used with Windows 10 & Windows 11

DESIGN

Mechanical

Bezel Width

- Side: 4.9mm
- Top / Bottom: 4.9mm / 18.9mm

Case Color
Raven black

Dimensions (WxDxH)^[1]

Models	Dimensions
Highest Position	314.4 x 106.4 x 227.5 mm (12.38 x 4.19 x 8.96 inches)
Lowest Position	314.4 x 106.4 x 216.5mm (12.38 x 4.19 x 8.52 inches)

Packaging Dimensions (WxDxH)
384 x 277 x 76 mm (15.12 x 10.91 x 2.99 inches)

Weight^[2]

Models	Weight
Monitor With Stand	0.6 kg (1.3 lbs)

Packaging Weight
1.8 kg (4.0 lbs)

Mounting
Supports VESA mount 100mm

Stand
Supports -5° to +95° tilt, up to 11mm lift

- In the Box**
- Monitor with Stand
 - 1x USB-C to USB-C Cable (1m)
 - Quick Setup Guide

Notes:

1. 1 :The system dimensions may vary depending on configurations.

2. 2 :The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Ports

Rear Ports
2x USB-C 3.1 Gen 1 (DP 1.2 Alt Mode, USB 2.0 data transfer)

SECURITY & PRIVACY

Security

Physical Locks

Kensington® Security Slot™

SERVICE

Warranty

Base Warranty

3-year courier or carry-in service

CERTIFICATIONS

Green Certifications^[1]

Green Certifications

- EPEAT™ Silver^[2]
- ENERGY STAR® Certified
- Volatile Organic Compound Certification
- RoHS compliant

Notes:

- 1: The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.
- 2: EPEAT is registered where applicable, please see <https://www.epeat.net> for registration status by country.

Other Certifications

Other Certifications

- Eyesafe® Certified
- TÜV Rheinland® Flicker Free
- TÜV Rheinland Low Blue Light
- TÜV Rheinland Low Blue Light (Hardware Solution)

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

