# **OVERVIEW**



1. Joystick	8. DP out
2. Source Key	9. Ethernet (RJ-45)
3. Kensington Security Slot	10. USB 3.2 Gen 1
4. Power Connector	11. USB 3.2 Gen 1
5. HDMI 2.1	12. Audio-combo (3.5mm, In/Out)
6. DP 1.4	13. USB 3.2 Gen 1
7. USB-C 3.2 Gen 1 (90W)	14. USB 3.2 Gen 1

# PERFORMANCE

# Panel

Panel

3-side Borderless In-Plane Switching

Backlight

WLED

**Display Size** 

27 inches

#### **Max View Area**

WxH: 596.7 x 335.7 mm

Resolution

2560 x 1440

Aspect Ratio

16:9

**Pixel Pitch** 

0.233 x 0.233 mm

Dot / Pixel Per Inch

109 dpi

# Brightness

300 cd/m<sup>2</sup>

#### **Contrast Ratio**

- Contrast Ratio: 1000:1
- Dynamic Contrast Ratio: 3M:1

### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

#### **Response Time**

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

## **Refresh Rate**

75Hz

**Color Gamut** 

99% sRGB

Color Support

16.7 Million

Color Depth

8-bit

Screen Surface Treatment

Anti-glare

# **Operating System**

#### **Operating System**

- Windows® 10 Support
- Windows 11 Support

## Multi-Media

#### Camera

2592 x 1944, 5.0-megapixel, IR + RGB camera

## Microphone

Integrated microphone

## Speakers

Integrated Speakers, 2x 5W

ThinkVision T27hv-30 - September 04 2023

Lenovo

Lenovo

# **Power Supply**

### **Power Consumption**

- Typical / Max: 30W / 168.5W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 21.1W
- Energy Star TEC: 69.5kWh
- Internal Power Supply

#### Voltage Required

AC 100 to 240 V (50-60Hz)

# **Special Features**

### **Special Features**

- Natural Low Blue Light
- Smart Sensor (Ambient Light Sensor, Human Detection Sensor)
- Lenovo<sup>®</sup> ThinkColour (Lenovo Display Control Center) Support ThinkColour can only be used with Windows 10 and Windows 11
- Smart Power
  The Smart Power function intelligently detects of

The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device

# DESIGN

# **Mechanical**

### ThinkCentre® M Series Support

ThinkCentre M Series Tiny Support For supporting Tiny devices, additional Tiny Clamp Bracket Mounting Kit III (PN: 4XF1K72399) are needed (sold separately).

## Bezel Width

- Side: 2.1mm
- Top / Bottom: 2.1mm / 41.4mm

## Cable Management

Support

Case Color

Raven black

## Dimensions (WxDxH)[1]

Models	Dimensions
Lowest Position	613.8 x 204.7 x 429.5mm (24.17 x 8.06 x 16.91 inches)
Highest Position	613.8 x 204.7 x 584.6 mm (24.17 x 8.06 x 23.02 inches)
Head Only	613.8 x 53.9 x 404.8mm (24.17 x 2.12 x 15.94 inches)

## Packaging Dimensions (WxDxH)

720 x 160 x 510 mm (28.35 x 6.30 x 20.08 inches)

#### Weight<sup>[2]</sup>

Models	Weight
Monitor Head Only	5.7 kg (12.6 lbs)
Monitor With Stand	7.9 kg (17.4 lbs)

#### **Packaging Weight**

10.9 kg (24.0 lbs)

#### Mounting

Supports VESA mount 100mm

### Stand

Supports -5° to +23.5° tilt, left & right 45 swivel, -90° to 90° pivot, up to 155mm lift

Lenovo

#### In the Box

- Monitor with Stand
- 1x Power cable (1.8m)
- 1x USB-C<sup>®</sup> to USB-C Cable (1.8m)
- Quick Setup Guide

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

## Network

## Ethernet

Support 10M / 100M / 1000M

## Ports<sup>III</sup>

#### Rear Ports<sup>[2]</sup>

- 1x USB-C 3.2 Gen 1 (DP 1.4 alt mode, up to 90W), USB upstream
- 4x USB 3.2 Gen 1, USB downstream
- 1x HDMI® 2.1
- 1x DisplayPort<sup>™</sup> 1.4
- 1x DisplayPort out
- 1x Ethernet (RJ-45)
- 1x Power Connector
- 1x audio-combo (3.5mm, In/Out)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4<sup>®</sup> 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt<sup>™</sup> 3/4: 40 Gbit/s.

[2] Up to 90W power delivery to compatible devices by USB-C. Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

# **SECURITY & PRIVACY**

# Security

Physical Locks Kensington® Security Slot™

# SERVICE

# Warranty

**Base Warranty** 3-year limited warranty

# CERTIFICATIONS

# **Green Certifications**<sup>III</sup>

## **Green Certifications**

- ENERGY STAR<sup>®</sup> Certified
- EPEAT<sup>™</sup> Gold Registered<sup>[2]</sup>
- RoHS compliant
- TCO Certified 9.0
- TCO edge 2.0
- Volatile Organic Compound Certification

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration.

[2] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

# **Other Certifications**

## Other Certifications

- Eyesafe® Certified 2.0
- TÜV Rheinland® Eye Comfort Certification
- TÜV Rheinland Flicker Free
- TÜV Rheinland Low Blue Light (Hardware Solution)
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.











